213/214

Work Order ID 51837

September 4, 2009 10:03:32 AM

Item ID: D3849-047 **Accept** **Setup Start**

Revision ID: B **Stop**

Item Name: WEARPLATE

Start Date: 09/04/2009 **Start Qty:** 2.00 **Cust Item ID:**

Required Date: 09/11/2009 **Req'd Qty:** 2.00 **Customer:**

Reference:

Approvals: **Process Plan:** MF **Date:** 09-09-04 **Tooling:** _____ **Date:** _____ **Run Start**

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____ **Stop**

Draw Nbr	Revision Nbr
D3849	B

Sequence ID/ Work Center ID	Operation Description		Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
100			0.00							
Waterjet	364	**Memo**	0.00				HB 9-9-15			
FLOW CNC Waterjet	.050	1-Cut as per Dwg D3849 Dwg Rev: B Prog Rev: B 2-Deburr if necessary								(4)
110		QC2- Inspect parts off machine FAI/FAIB	0.00				U IB 9-9-15			
QC		**Memo**	0.00							
Quality Control										

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____

Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries

Work Order ID 51837

September 4, 2009 10:03:32 AM

Item ID: D3849-047 **Accept** **Setup Start**

Revision ID: B **Stop**

Item Name: WEARPLATE

Start Date: 09/04/2009 **Start Qty:** 2.00 **Cust Item ID:**

Required Date: 09/11/2009 **Req'd Qty:** 2.00 **Customer:**

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____ **Run Start**

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____ **Stop**

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150		0.00							
Large Fab									
Large Fab	**Memo**	0.00							
	1-On D3901-1 bar,fill cut outs with hard coat welding rod as per Dwg 2059b Hardcoat rod Batch: M 110287								
	2-Weld D3901-1 Bar to wearplate by positioning holes together as per Dwg 304ss Welding Rod Batch: M 102421								
						EL	9-9-22		(XY)
160	QC9- Inspect visual per QSI004- Fusion Welds	0.00							
QC									
Quality Control	**Memo**	0.00							
						GC	09	09	22
170	QC5- Inspect part completeness to step on W/O	0.00							
QC		2) Scribed							
Quality Control	**Memo**	0.00							
	(Fit no ~~good~~ great but will do)					(XY)			

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____

Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries

Work Order ID 51837

September 4, 2009 10:03:32 AM

Item ID: D3849-047 **Accept** **Setup Start** **Stop**

Revision ID: B

Item Name: WEARPLATE

Start Date: 09/04/2009 **Start Qty:** 2.00 **Cust Item ID:**

Required Date: 09/11/2009 **Req'd Qty:** 2.00 **Customer:**

Reference:

Run Start **Stop**

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180 Powdercoat Powder Coating	Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3 M1112558 START: 9:00 AM TEMP: 320°F FIN: 9:30 AM **Memo**	0.00 0.00	=> JH	09/11/18		(X4)	0		
190 QC Quality Control	QC3- Inspect Part Finish **Memo**	0.00 0.00				EJS 09/11/18 (4)			
200 Small Fab Small Fab	**Memo** 1-Bond D3848-7 gasket to inner surface of wearplate using a thin layerof 3m 1300/1300L Scotch grip adhesive Batch: M113174	0.00 0.00				EJS 09/11/18 (4)			

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____

Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries

Work Order ID 51837

September 4, 2009 10:03:32 AM

Item ID: D3849-047 **Accept** **Setup Start** **Stop**

Revision ID: B

Item Name: WEARPLATE

Start Date: 09/04/2009 **Start Qty:** 2.00 **Cust Item ID:**

Required Date: 09/11/2009 **Req'd Qty:** 2.00 **Customer:**

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____ **Run Start** **Stop**

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
210	QC5- Inspect part completeness to step on W/O	0.00	27 Sep 07/11/18			(44)	0		
QC Quality Control	**Memo**	0.00							
220	Identify as per dwg & Stock Location P-18	0.00	BK 09-11-19			(4).			
Packaging Packaging	**Memo**	0.00							
230	QC21- Final Inspection - Work Order Release	0.00							
QC Quality Control	**Memo**	0.00							

09/11/19 AJ

BK 09-11-19 (4)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____

Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries

Picklist Print

September 4, 2009 10:03:31 AM

Work Order ID: 51837

Parent Item: D3849-047RevB

Parent Item Name: WEARPLATE

Comments:

Start Date: 09/04/2009 **Required Date:** 09/11/2009

Start Qty: 2.00 **Required Qty:** 2.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
D3848-7RevB		Manufactured	No				Each	0.0000	2.0000			
Gasket										BS1842	09/11/18	
D3901-1RevB		Manufactured	No				Each	0.0000	2.0000			
Bar										BS1841 x 4	EL 9-9-17	
M304S18GA		Purchased	No				sf	183.4395	6.2526	13.5052		
304/316 .050 Sheet										LB 9-9-15		

Warehouse Location	Loc Qty	Loc Code
Main Warehouse		
MAT	183.4395053	
108156	0.98526316	
111743	23.7174	
112178	158.736842	112178

D3901-1
BS1841

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____

Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	51837
Description: WEAR PLATE	Part Number:	D3849-041
Inspection Dwg: D3849-7 Rev: B		Page 1 of 1


FIRST ARTICLE INSPECTION CHECKLIST

[X] First Article [] Prototype


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø .375	+.006 -.001	.378	✓			
.175	+/- .010	.123	✓			
.88	+/- .030	.89	✓			
.25	+/- .030	.254	✓			
2.433	+/- .010	2.431	✓			
6.801	+/- .010	6.805	✓			
2.45	+/- .030	2.451	✓			
4.38	+/- .030	4.380	✓			
7.00	+/- .030	7.000	✓			
4.06	+/- .030	4.003	✓			
34.500	+/- .010	34.500				
54.26	+/- .030	54.26				
7.88	+/- .030	7.876	✓			
5.89	+/- .030	5.888	✓			
18.000	+/- .010	18.000	✓			
36.000	+/- .010	36.005	✓			
51.313	+/- .010	51.313	✓			
.050	+/- .010	.046	✓			
Ø .188	+/- .010	.191	✓			

Measured by:	HB	Audited by:		Prototype Approval:	N/A
Date:	9-9-15	Date:	09/09/15	Date:	N/A


Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	




D3849-041 FWD WEARPLATE ASSY, STD GEAR



D3849-043 AFT WEARPLATE ASSY, STD GEAR



D3849-045 AFT WEARPLATE ASSY, FLOAT GEAR



D3849-047 FWD WEARPLATE ASSY, FLOAT GEAR (B)

ITEM	QTY -041	QTY -043	QTY -045	QTY -047	P/N	DESCRIPTION
1	X				D3849-041	FWD WEARPLATE ASSY, STD GEAR
2		X			D3849-043	AFT WEARPLATE ASSY, STD GEAR
3			X		D3849-045	AFT WEARPLATE ASSY, FLOAT GEAR
4				X	D3849-047	FWD WEARPLATE ASSY, FLOAT GEAR
11	1				D3849-1	PLATE
12		1			D3849-3	PLATE
13			1		D3849-5	PLATE
14				1	D3849-7	PLATE
15	1				D3848-1	GASKET
16		1			D3848-3	GASKET
17			1		D3848-5	GASKET
18				1	D3848-7	GASKET
19	1			1	D3901-1	BAR
20		1			D3901-3	BAR
21			1		D3901-5	BAR
31	A/R	A/R	A/R	A/R	2059B	HARDCOAT
32	A/R	A/R	A/R	A/R	1300 (OR 1300L)	3M SCOTCH-GRIP ADHESIVE

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 51837
MF
09-09-04
RELEASED
09/7/15/M

REV.	DESCRIPTION	BY	DATE
B	REVISED FLAT PATTERN Ø0.375 WAS SLOT HOLE ON D3849-1F/-3F/-5F (ZN A4-5,B4-7, B4-8, C2-10, B2-10); ADD D3849-047 (ZN D4-1, A4-1 & B4-5) & D3849-7/-7F (ZN C4-9, A4-9); ADD SECTION K-K (ZN C5-10); 0.88 WAS 0.875 & 0.44 WAS 0.438 (ZN A3-10); ADD 0.25 & 0.88 (ZN D4-10, D3-10); ADD 0.88 & 0.44 (ZN C3-10 & B3-10); ADD FLAG NOTE (ZN A8-2, C6-2, C3-2, A8-3, C6-3, C3-3, A8-4, C6-4, C2-4); 66.87 WAS 67.36 (ZN B4-7)	RF	09.06.30
A	NEW ISSUE	RF	09.03.30

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	RF	PORT HADLOCK, WA	
CHECKED	PG	DRAWING NO. D3849	REV. B
MFG. APPR.	GO		SHEET 1 OF 10
APPROVED	AW	TITLE WEARPLATE ASSY	SCALE NTS
DE APPR.			
DATE	09.06.30		

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____


Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries



D3849-041 FWD WEARPLATE ASSY, STD/FLOAT GEAR (B)



SECTION A-A C3-2
SCALE 2X

NOTES:
1) MATERIAL: N/A
2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3849-041" USING YELLOW PAINT MARKER AT INSIDE SURFACE
7) WEIGHT: D3849-041 = 4.24 lbs
8) WELDING: PER QSI 004
9) 2059B HARDCOAT WELD, 0.19 THICK x 0.50 WIDE, FLUSH WITH D3901-1 BAR ON ALL 3 SURFACES
10) AFTER FINISH, BOND D3848-1 GASKET TO INNER SURFACE OF WEARPLATE USING A THIN LAYER OF 3M 1300/1300L SCOTCH GRIP ADHESIVE
(B) 11) TRANSFER DRILL Ø0.188 HOLES FROM D3849-1 PLATE TO D3901-1 BAR

5183?

RELEASED
09/07/13 MB

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	RF	PORT HADLOCK, WA	
CHECKED	RF	DRAWING NO. D3849	REV. B
MFG. APPR.			SHEET 2 OF 10
APPROVED		TITLE WEARPLATE ASSY	SCALE NTS
DE APPR.			
DATE	09.06.30		

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector


Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____

Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries





SECTION B-B C2-3
SCALE 2X

D3849-043 AFT WEARPLATE ASSY, STD GEAR

5837

RELEASED 9/6/15

NOTES:
1) MATERIAL: N/A
2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3849-043" USING FINE POINT PERMANENT INK MARKER
7) WEIGHT: D3849-043 = 5.21 lbs
8) WELDING: PER QSI 004
9) 2059B HARDCOAT WELD, 0.19 THICK x 0.50 WIDE, FLUSH WITH D3901-3 BAR ON ALL 3 SURFACES
10) AFTER FINISH, BOND D3848-3 GASKET TO INNER SURFACE OF WEARPLATE USING A THIN LAYER OF 3M 1300/1300L SCOTCH GRIP ADHESIVE
△B 11) TRANSFER DRILL Ø0.188 HOLES FROM D3849-3 PLATE TO D3901-3 BAR

DESIGN	RF	**DART AEROSPACE USA, INC.** PORT HADLOCK, WA
DRAWN	RF	
CHECKED	RF	DRAWING NO. D3849 REV. B
MFG. APPR.		SHEET 3 OF 10
APPROVED		TITLE WEARPLATE ASSY SCALE NTS
DE APPR.		
DATE	09.06.30	

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector


Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____

Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries





D3849-045 AFT WEARPLATE ASSY, FLOAT GEAR

SECTION C-C C2-4
SCALE 2X

51837

RELEASED
09/30/15 MD

NOTES:
1) MATERIAL: N/A
2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3849-045" USING YELLOW PAINT MARKER AT INSIDE SURFACE
7) WEIGHT: D3849-045 = 5.98 lbs
8) WELDING: PER QSI 004
9) 2059B HARDCOAT WELD, 0.19 THICK x 0.50 WIDE, FLUSH WITH D3849-5 BAR ON ALL 3 SURFACES
10) AFTER FINISH, BOND D3848-5 GASKET TO INNER SURFACE OF WEARPLATE USING A THIN LAYER OF 3M 1300/1300L SCOTCH GRIP ADHESIVE
(B) 11) TRANSFER DRILL Ø0.188 HOLES FROM D3849-5 PLATE TO D3901-5 BAR

DESIGN	RF	**DART AEROSPACE USA, INC.** PORT HADLOCK, WA
DRAWN	RF	
CHECKED	RF	DRAWING NO. D3849 REV. B
MFG. APPR.		SHEET 4 OF 10
APPROVED		TITLE WEARPLATE ASSY SCALE NTS
DE APPR.		
DATE	09.06.30	

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____


Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries



D3849-047 FWD WEARPLATE ASSY, FLOAT GEAR (B)



SECTION G-G C3-5
SCALE 2X

NOTES:
1) MATERIAL: N/A
2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3849-047" USING YELLOW PAINT MARKER AT INSIDE SURFACE
7) WEIGHT: D3849-047 = 4.26 lbs
8) WELDING: PER QSI 004
9) 2059B HARDCOAT WELD, 0.19 THICK x 0.50 WIDE, FLUSH WITH D3901-1 BAR ON ALL 3 SURFACES
10) AFTER FINISH, BOND D3848-7 GASKET TO INNER SURFACE OF WEARPLATE USING A THIN LAYER OF 3M 1300/1300L SCOTCH GRIP ADHESIVE
11) TRANSFER DRILL Ø0.188 HOLES FROM D3849-7 PLATE TO D3901-1 BAR

5837 RELEASED 09/07/12 MH

DESIGN	RF	DART AEROSPACE USA, INC. PORT HADLOCK, WA
DRAWN	RF	
CHECKED	RF	DRAWING NO. D3849 REV. B
MFG. APPR.		SHEET 5 OF 10
APPROVED		TITLE WEARPLATE ASSY SCALE NTS
DE APPR.		
DATE	09.06.30	

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____


Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries



D3849-1 PLATE
(MAKE FROM D3849-1F)



D3849-1F FLAT PATTERN B

51837 RELEASED 8/6/15 MD

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 2.33 lbs

DESIGN	RF	DART AEROSPACE USA, INC. PORT HADLOCK, WA
DRAWN	RF	
CHECKED		DRAWING NO. D3849 REV. B
MFG. APPR.		SHEET 6 OF 10
APPROVED		TITLE WEARPLATE ASSY SCALE NTS
DE APPR.		
DATE	09.06.30	

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____


Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries



D3849-3 PLATE
(MAKE FROM D3849-3F)



D3849-3F FLAT PATTERN B

51837 RELEASED 9/6/07 MH

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 2.82 lbs

DESIGN	RF	DART AEROSPACE USA, INC. PORT HADLOCK, WA
DRAWN	RF	
CHECKED		DRAWING NO. D3849 REV. B
MFG. APPR.		SHEET 7 OF 10
APPROVED		TITLE WEARPLATE ASSY SCALE NTS
DE APPR.		
DATE	09.06.30	

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____


Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries



D3849-5 PLATE
(MAKE FROM D3849-5F)



D3849-5F FLAT PATTERN (B)

51837 RELEASED 09/07/15 MM

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 3.30 lbs

DESIGN	RF	DART AEROSPACE USA, INC.
DRAWN	RF	PORT HADLOCK, WA
CHECKED	AM	DRAWING NO. D3849 REV. B
MFG. APPR.		SHEET 8 OF 10
APPROVED		TITLE WEARPLATE ASSY SCALE NTS
DE APPR.		
DATE	09.06.30	

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____


Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries



D3849-7 PLATE (B)
(MAKE FROM D3849-7F)



D3849-7F FLAT PATTERN (B)

5837 RELEASED 09/07/15 MW

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 2.34 lbs

DESIGN	RF	DART AEROSPACE USA, INC.
DRAWN	RF	PORT HADLOCK, WA
CHECKED		DRAWING NO. D3849 REV. B
MFG. APPR.		SHEET 9 OF 10
APPROVED		TITLE WEARPLATE ASSY SCALE NTS
DE APPR.		
DATE 09.06.30		

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____


Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			


NOTE: Date & initial all entries




SECTION K-K C2-9
SCALE 4X




DETAIL H C1-6 C1-7 C1-8 C1-9
SLOT DETAIL TYP
SCALE 2X




DETAIL G C4-6 C4-7 C4-8 C6-9
SLOT DETAIL TYP
SCALE 4X



SECTION E-E D2-6 D2-7 D6-8
SCALE 4X



DETAIL F C3-6 B6-7 C5-8 B3-9
SLOT DETAIL TYP
SCALE 4X



DETAIL J B1-8
DETAIL TYP
SCALE 8X

51837 RELEASED 09/07/10 MW

DESIGN	RF	**DART AEROSPACE USA, INC.** PORT HADLOCK, WA
DRAWN	RF	
CHECKED		DRAWING NO. D3849 REV. B
MFG. APPR.		SHEET 10 OF 10
APPROVED		TITLE WEARPLATE ASSY SCALE NTS
DE APPR.		
DATE	09.06.30	

COPYRIGHT © 2009 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	**STEP**	**PROCEDURE CHANGE**	**By**	**Date**	**Qty**	**Approval** Chief Eng / Prod Mgr	**Approval** QC Inspector

Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____

Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	**STEP**	**Description of NC** Section A	**Corrective Action** Section B			**Verification** Section C	**Approval** Chief Eng	**Approval** QC Inspector
			Initial Chief Eng	**Action Description** Chief Eng	**Sign & Date**			

NOTE: Date & initial all entries